



**Matcher Technologies Limited**  
1B Canalside Business Park  
Tattenhall Chester  
Cheshire, CH3 9BD  
United Kingdom

**EMBRYOTECH**  
LABORATORIES  
140 Hale Street  
Haverhill, MA 01830  
[qc@embryotech.com](mailto:qc@embryotech.com)

**ELI Accession Number:** IIL-5009-1220

**Date of completion:** 12-22-2020

**Lot number:** 0202012A

**Reference number:** LBL020

**Description of test article(s):** IMT| Matcher *ID Security* NOT FOR CRYO USE Labels

**Assay system requested by customer:** The test article is placed on a culture plate. One cell mouse embryos are placed in the culture plate and cultured for 96-hours.

**Control assay method and results:** 21 one cell (B6C3F1 X B6D2F1) embryos were cultured in triplicate micro drops of culture medium overlaid with oil in control incubator (ELI-350):

21 / 21 (100 %)	1-cell to 2-cell within 24 hr
21 / 21 (100 %)	1-cell to expanded blastocyst within 96 hr

*For a valid assay, Embryotech™ requires at least 80% of one cell control embryos to develop to expanded blastocyst within 96-hours.*

**Test assay method and results:** 21 one cell (B6C3F1 X B6D2F1) embryos were cultured in triplicate micro drops of culture medium overlaid with oil with the test article adhered to the outside of the culture plate in incubator ELI-248:

21 / 21 (100 %)	1-cell to 2-cell within 24 hr
20 / 21 ( 95 %)	1-cell to expanded blastocyst within 96 hr

**Pass/Fail = Pass**

**Summary of observations:** All test and control embryos were selected randomly from a common pool of freshly collected embryos. 100 percent of the control embryos developed to the expanded blastocyst stage within 96-hours. 95 percent of the test embryos cultured in the culture plate with the test article adhered developed to the expanded blastocyst stage within 96-hours

Signature  
Study Director

Date

Signature  
Quality Reviewer

Date